

## FILE NOTATIONS

Entered in NID File .....  
Location Map Pinned .....  
Card Indexed .....

Checked by Chief

Approval Letter

Disapproval Letter .....

*MC*  
*3-6-72*

## COMPLETION DATA:

Date Well Completed *4-9-72*

Location Inspected ..

OW..... WW..... TA.....

Bond released

GW..... OS..... PA.....

State or Fee L.....

## LOGS FILED

Driller's Log.....

Electric Logs (No.) .....

E..... I..... Dual I Lat..... GR-N..... M

BHC Sonic GR..... Lat..... Mi-L..... Sonic

CBLog..... CCLog..... Others.....

W. C. McBRIDE, INC.

230 Denver Club Building  
DENVER, COLORADO 80202

HOME OFFICE

25 NORTH BRENTWOOD BLVD.  
ST. LOUIS, MO. 63105

March 2, 1972

825-2366

State of Utah  
Division of Oil & Gas Conservation  
1588 West North Temple  
Salt Lake City, Utah 84116

Re: W. C. McBride, Inc. - Navajo  
Well #2-35  
NE $\frac{1}{4}$  NE $\frac{1}{4}$  Sec. 35-41S-25E  
San Juan County, Utah

Gentlemen:

Enclosed find two (2) copies each of "Application for Permit to Drill" and Surveyor's Plat.

Yours very truly,

W. C. McBRIDE, INC.

*David Paoli*

David Paoli

NWE:bv

Enclosure

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

## APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

## 1a. TYPE OF WORK

DRILL ☒DEEPEN ☐PLUG BACK ☐

## b. TYPE OF WELL

OIL  
WELL ☐GAS  
WELL ☐

OTHER

Wildcat

SINGLE  
ZONE ☐MULTIPLE  
ZONE ☐

## 2. NAME OF OPERATOR

W. C. McBride, Inc.

## 3. ADDRESS OF OPERATOR

230 Denver Club Building, Denver, Colorado 80202

## 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)\*

At surface

669' FNL &amp; 583' FEL Sec. 35-41S-25E

At proposed prod. zone

DENVER

## 14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE\*

4 mi SE of Aneth

## 15. DISTANCE FROM PROPOSED\*

LOCATION TO NEAREST  
PROPERTY OR LEASE LINE, FT.  
(Also to nearest drig, unit line, if any)

669'

## 16. NO. OF ACRES IN LEASE

800

## 17. NO. OF ACRES ASSIGNED

TO THIS WELL 80 ✓

## 18. DISTANCE FROM PROPOSED LOCATION\*

TO NEAREST WELL, DRILLING, COMPLETED,  
OR APPLIED FOR, ON THIS LEASE, FT.

1747

## 19. PROPOSED DEPTH

5700'

## 20. ROTARY OR CABLE TOOLS

Rotary

## 21. ELEVATIONS (Show whether DF, RT, GR, etc.)

4634' GR

## 22. APPROX. DATE WORK WILL START\*

## 23.

## PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
17-1/2"	13-3/8"	48#	150'	125 sack
7-7/8"	5-1/2"	14# & 15.5#	5700'	150 sack

Desert Creek

Blowout Preventers and Derrick Escape Line will be provided.

Estimated Formation Tops:	Chinle	1320
	De Chelly	2470
	Hormosa	4400
	Isany	5255
	Desert Creek	5430

We plan to test all possibly commercial shows of oil or gas.

If troublesome shallow fresh water flows are encountered, an intermediate string of 8-5/8" casing may be set and cemented in the top of the Chinle. ✓

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

## 24.

SIGNED

David Pauli

TITLE

Production Superintendent

DATE

3-2-72

(This space for Federal or State office use)

PERMIT NO.

13-037-30076

APPROVAL DATE

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

March 6, 1972

W.C. McBride  
230 Denver Club Bldg.  
Denver, Colorado 80202

Re: Well No. Navafo #2-35  
Sec. 35, T. 41 S, R. 25 E,  
San Juan County, Utah

Gentlemen:

Insofar as this office is concerned, approval to drill the above referred to well is hereby granted.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

PAUL W. BURCHELL - Chief Petroleum Engineer  
HOME: 277-2890  
OFFICE: (801) 328-5771

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling. Your cooperation with regard to completing this form will be greatly appreciated.

The API number assigned to this well is 43-037-30076.

Very truly yours,

DIVISION OF OIL AND GAS CONSERVATION

CLEON B. FEIGHT  
DIRECTOR

CBF:sd  
cc: U.S. Geological Survey

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE\*  
(Other instructions on re-  
verse side)Form approved.  
Budget Bureau No. 42-R1424

5. LEASE DESIGNATION AND SERIAL NO.

N00-C-14-20-3796

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Navajo

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Navajo

9. WELL NO.

2-35

10. FIELD AND POOL, OR WILDCAT

Wildcat

11. SEC., T., R., M., OR BLK. AND  
SURVEY OR AREA

Sec. 35-41S-25E SLM

12. COUNTY OR PARISH

San Juan

13. STATE

Utah

1.

OIL ☐ GAS ☐  
WELL WELL OTHER

Wildcat

2. NAME OF OPERATOR

W. C. McBride, Inc.

3. ADDRESS OF OPERATOR

230 Denver Club Building, Denver, Colorado 80202

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*  
See also space 17 below.)

At surface

669' FNL &amp; 583' FEL Sec. 35-41S-25E

14. PERMIT NO.

43-037-30076

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4643' KB

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

☐  
☐  
☐  
☐

PULL OR ALTER CASING

☐  
☐  
☐  
☐

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON\*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

☐  
☐  
☐

REPAIRING WELL

☐  
☐  
☐

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT\*

(Other) Sundry report - March 1972

(NOTE: Report results of multiple completion on Well  
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Spud: 3/24/72

Casings: 13-3/8" 48# (157') @ 155' KB w/150 sx reg. cmt plus 3% CaCl.  
8-5/8" 24# (1303') @ 1316' KB w/100 sx reg. cmt plus 2% CaCl.

3/31/72: Drlg @ 3755'

18. I hereby certify that the foregoing is true and correct

SIGNED

Dore Paoli

TITLE

Production Superintendent

DATE

4-6-72

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

\*See Instructions on Reverse Side

Final Well Report

W. C. McBride - No. 2-35 Navajo

669' FNL, 583' FEL (NE NE)  
Section 35. T41S-R25E  
San Juan County, Utah

April 10, 1972

Robert T. Young

RKB

Well Name: W. C. McBride No. 2-35 Navaio

Location: 669' FNL, 583' FEL (NE NE)  
Section 35, T41S-R25E  
San Juan County, Utah

Elevation: 4641' GR; 4647' KB

Commenced: March 24, 1972

Completed: P&A April 9, 1972

Total Depth: 5626' Logger

Hole Size: 7-7/8" from base of intermediate Csq. (1316')

Casing Program: 13-3/8" 48# csg at 155' KB with 150 sx  
8-5/8" 24# csg at 1316' KB with 100 sx

Logs: Dual Induction - Laterlog 5626' to base of surface casing. Formation Density and Compensated Neutron Log 5250' - 5626'.


DST's: None

Cores: Core No. 1 5542 - 5592 (Desert Creek)  
Rec. 50' Not analyzed.  
5542-68  
dolomite, dark brown, sucrosic, hard and tight with abundant white anhydrite inclusions.  
5568-77  
dolomite, dark brown, sucrosic, some earthy, poor porosity and permeability, occasional calcite rhombs, scattered anhydrite inclusions, spotty oil saturation, bleeding gas and salt water from thin permeable streaks. (See detailed sample log)  
5577-92  
dolomite, dark brown, hard & tight, scattered black shale stringers

Drilling Contractor: Mesa Drillers  
Max Bailey, Tool Pusher

Samples: Ten foot samples 2400' - 5100'.  
Five foot samples from 5100' to T.O.  
Sample quality very good.

Log Tops:	Depth	Subsea
De Chelly	2485	+2362
Hermosa	4435	+212
Upper Ismay	5306	-659
Lower Ismay	5404	-757
Desert Creek	5506	-859



**WELL LOCATION: W. C. McBRIDE, INC. - NAVAJO NO. 2-35**

Located 669 feet South of the North line and 583 feet West of the East line of Section 35,  
 Township 41 South Range 25 East Salt Lake Meridian,  
 San Juan County, Utah.  
 Existing ground elevation determined at 4634 feet based on U.S.G.S. datum.

I hereby certify the above plat represents a survey made under my supervision and that it is accurate to the best of my knowledge and belief.

*Frederick H. Reed*

FREDERICK H. REED  
 Registered Land Surveyor  
 State of Utah No. 2689



W. C. McBRIDE, INC.  
 Denver, Colorado

WELL LOCATION PLAT  
 SEC. 35, T41S, R25E, SLM  
 San Juan Co., Utah

CLARK - REED & ASSOC.  
 Durango, Colorado

DATE: March 1, 1972  
 FILE NO: 72022



Tom Young

Mo Buck 2-35 Nav.

NE NE rec 35 T41S R25E

San Juan C.

Try <sup>2</sup> T.R. 5626

De Chaff - 2485

Hanna - 4430

Isney - 5300

Dough Creek - 5505 - No DST - Carel only

Nov. and Virgite - <sup>light</sup> Pecked Coring

1317-8  $\frac{5}{8}$

4/10/72

• crown tops

- ① Desert Creek
- ② Dechelly
- ③ Base of Coring  
↓  
75' in & out

↓  
H. S. G. S

OK

PMB

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYSUBMIT IN TRIP DATE\*  
(Other instructions on re-  
verse side)Form approved.  
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

N00-C-14-20-3796

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Navajo

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Navajo

9. WELL NO.

2-35

10. FIELD AND POOL, OR WILDCAT

Wildcat

11. SEC., T., R., M., OR BLK. AND  
SURVEY OR AREA

Sec. 35-41S-25E SLM

12. COUNTY OR PARISH

San Juan

13. STATE

Utah

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1.

OIL WELL ☐ GAS WELL ☐ OTHER

Dry Hole

2. NAME OF OPERATOR

W. C. McBride, Inc.

3. ADDRESS OF OPERATOR

230 Denver Club Building, Denver, Colorado 80202

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*  
See also space 17 below.)

At surface

669' FNL &amp; 583' FEL Sec. 35-41S-25E

14. PERMIT NO.

Utah API No.

43-037-30076

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4643' KB

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

☐  
☐  
☐  
☐

PULL OR ALTER CASING

☐  
☐  
☒  
☐

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON\*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

☐  
☐  
☐

REPAIRING WELL

☐  
☐  
☐

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT\*

(Other)

(NOTE: Report results of multiple completion on Well  
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

13-3/8" OD, 48# Surface Csg was cemented at 155' with 150 sax cement.

8-5/8" OD, 24# Intermediate Csg was cemented at 1317' with 100 sax cement.

TD 5626'

Log Tops: Hermosa 4435  
Upper Ismay 5306  
Lower Ismay 5404  
Desert Creek 5506We propose to plug and abandon as follows:5600-5400' 64 sax  
4450-4300' 49 sax  
2500-2350' 49 sax  
1350-1200' 49 sax  
145-Surface 44 sax with dry hole marker imbedded.

Verbal approval of the above procedure was obtained from Mr. McGrath and Mr. Burchell.

18. I hereby certify that the foregoing is true and correct

SIGNED

M. W. Erdman

TITLE Petroleum Engr.

DATE

4-17-72

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

\*See Instructions on Reverse Side

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL & GAS CONSERVATION  
1588 West North Temple  
Salt Lake City, Utah 84116

REPORT OF WATER ENCOUNTERED DURING DRILLING  
\*\*\*\*\*

Well Name & Number Navajo No. 2-35  
Operator W. C. McBride, Inc. Address Denver, Colorado 80202  
230 Denver Club Building Phone (303) 825-2366  
Contractor Mesa Drillers Address P.O. Box 108  
Lubbock, Texas Phone (806) 744-1017  
Location NE 1/4 NE 1/4 Sec. 35 T. 41 N R. 25 E San Juan County, Utah.  
S 10

Water Sands:

	<u>Depth:</u> From- To-	<u>Volume:</u> Flow Rate or Head-	<u>Quality:</u> Fresh or Salty-
1.	@ 565'	1 1/2' water flow	Fresh
2.	@ 850'	2-3" " "	"
3.	@ 1050'	3-3 1/2" " "	"
4.			
5.			

(Continue on reverse side if necessary)

Formation Tops:

De Chelly	2485
Ismay	5306
Desert Creek	5506

Remarks:

8-5/8" OD, 24# Intermediate Csg was cemented at 1317' with 100 sax cement to shut off the water flows.

- NOTE:
- (a) Upon diminishing supply of forms, please inform this office.
  - (b) Report on this form as provided for in Rule C-20, General Rules and Regulations and Rules of Practice and Procedure, (See back of this form)
  - (c) If a water analysis has been made of the above reported zone, please forward a copy along with this form.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

\*SUBMIT IN DUPLICATE

(See other instructions on reverse side)

Form approved.  
Budget Bureau No. 42-R355.5.

## WELL COMPLETION OR RECOMPLETION REPORT AND LOG \*

1a. TYPE OF WELL: OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> DRY <input checked="" type="checkbox"/> Other _____		5. LEASE DESIGNATION AND SERIAL NO. <b>N00-C-14-20-3796</b>	
b. TYPE OF COMPLETION: NEW WELL <input checked="" type="checkbox"/> WORK OVER <input type="checkbox"/> DEEP-EN <input type="checkbox"/> PLUG BACK <input type="checkbox"/> DIFF. RESVR. <input type="checkbox"/> Other _____		6. IF INDIAN, ALLOTTEE OR THIRDS NAME <b>Navajo</b>	
2. NAME OF OPERATOR <b>W. C. McBride, Inc.</b>		7. UNIT AGREEMENT NAME	
3. ADDRESS OF OPERATOR <b>230 Denver Club Building Denver, Colorado 80202</b>		8. FARM OR LEASE NAME <b>Navajo</b>	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface <b>669' FNL &amp; 583' FEL Sec. 35-41S-25E</b> At top prod. interval reported below At total depth		9. WELL NO. <b>2-35</b>	
14. PERMIT NO. <b>Utah API No. 43-037-30076</b>		DATE ISSUED <b>3-6-72</b>	
15. DATE SPUDDED <b>3-24-72</b>		16. DATE T.D. REACHED <b>4-8-72</b>	
17. DATE COMPL. (Ready to prod.) <b>4-9-72 DSA</b>		18. ELEVATIONS (DF, REB, RT, GR, ETC.)* <b>4634' GR 4647' KB</b>	
19. ELEV. CASINGHEAD		20. TOTAL DEPTH, MD & TVD <b>5626 MD</b>	
21. PLUG, BACK T.D., MD & TVD <b>Surface</b>		22. IF MULTIPLE COMPL., HOW MANY*	
23. INTERVALS DRILLED BY <b>0-5626'</b>		24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*	
25. WAS DIRECTIONAL SURVEY MADE <b>No</b>		26. TYPE ELECTRIC AND OTHER LOGS RUN <b>Dual Induction-Laterolog, Formation Density, Neutron Log</b>	
27. WAS WELL CORED <b>Yes - Not Analyzed</b>		28. CASING RECORD (Report all strings set in well)	
29. LINER RECORD		30. TUBING RECORD	
31. PERFORATION RECORD (Interval, size and number)		32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.	
33.* PRODUCTION		34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)	
35. LIST OF ATTACHMENTS		36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records	

SIGNED W. W. Erdman TITLE Prod. Supt. DATE 4-21-72

\*(See Instructions and Spaces for Additional Data on Reverse Side)

# INSTRUCTIONS

**General:** This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

**Item 4:** If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

**Item 18:** Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

**Items 22 and 24:** If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

**Item 29: "Sacks Cement":** Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

**Item 33:** Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES				38. GEOLOGIC MARKERS		
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	MEAS. DEPTH	TRUE VERT. DEPTH
Desert Creek	5542	565' 850' 1050' 5592'	1-1/2" Fresh Water Flow 2-3" Fresh Water Flow 3-3-1/2" Fresh Water Flow Recovered 50' Core-Not Analyzed (See attached Well Data)	De Chelley Cutler Hermosa Upper Ismay Lower Ismay Desert Creek	2485 2695 4435 5306 5404 5506	

APR 24 1972

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUBMIT IN TRIP DATE\*  
(Other instructions on re-  
verse side)

Form approved.  
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

N00-C-14-20-3796

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Navajo

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Navajo

9. WELL NO.

2-35

10. FIELD AND POOL, OR WILDCAT

Wildcat

11. SEC., T., R., M., OR BLK. AND  
SURVEY OR AREA

Sec. 35-41S-25E SLM

14. PERMIT NO. Utah API No.  
43-037-30076

15. ELEVATIONS (Show whether DF, RT, GR, etc.)  
4643' KB

12. COUNTY OR PARISH  
San Juan

13. STATE  
Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON\*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT\*

(Other)

(NOTE: Report results of multiple completion on Well  
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

13-3/8" OD, 48# Surface Csg was cemented at 155' with 150 sax cement.

8-5/8" OD, 24# Intermediate Csg was cemented at 1317' with 100 sax cement.  
TD 5626'

Log Tops: Hermosa 4435  
Upper Ismay 5306  
Lower Ismay 5404  
Desert Creek 5506

This well was plugged as follows:

5600-5400' 64 sax  
4450-4300' 49 sax  
2500-2350' 49 sax  
1350-1200' 49 sax  
145-Surface 44 sax with dry hole marker imbedded.

Verbal approval of the above procedure was obtained from Mr. McGrath and Mr. Burchell.

This location has been cleaned and is ready for inspection.

18. I hereby certify that the foregoing is true and correct

SIGNED H. W. Erdman

TITLE Petroleum Engr.

DATE 8-21-72


(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:




**WELL LOCATION: W. C. McBRIDE, INC. - NAVAJO NO. 2-35**

Located 669 feet South of the North line and 583 feet West of the East line of Section 35,  
 Township 41 South Range 25 East Salt Lake Meridian,  
 San Juan County, Utah.  
 Existing ground elevation determined at 4634 feet based on U.S.G.S. datum.

I hereby certify the above plat represents a survey made under my supervision and that it is accurate to the best of my knowledge and belief.

*Frederick H. Reed*

FREDERICK H. REED  
 Registered Land Surveyor  
 State of Utah No. 2689



W. C. McBRIDE, INC.  
 Denver, Colorado

WELL LOCATION PLAT  
 SEC. 35, T41S, R25E, SLM  
 San Juan Co., Utah

CLARK - REED & ASSOC.  
 Durango, Colorado

DATE: March 1, 1972  
 FILE NO: 72022